

REVISED
09/01/2006

CLARK COUNTY SURVEYOR'S OFFICE
5051 SOUTH PARADISE ROAD
LAS VEGAS, NEVADA 89119
(702) 455-0640

CLARK COUNTY VERTICAL CONTROL v.2003 LAS VEGAS AREA BASE MAP

DISCLAIMER

END USER UNDERSTANDS AND AGREES THAT:

This 2003 Benchmark Book supersedes the 1992 Benchmark Book.

County Surveyor's Note:

The entire Las Vegas Valley, to some degree, has experienced vertical displacement based on subsidence and therefore should be considered vertically active.

Las Vegas Valley Area:

Survey personnel from all entities (the cities and the county), consolidated resources and established a primary vertical control network from unilaterally recognized and common stable benchmarks, in bedrock, at the far reaches of the Las Vegas Valley (mountainous areas). Benchmark elevations published herein for the Las Vegas Valley are based on this framework.

Outlying Areas:

At this time, benchmarks within vertical control networks in outlying areas of Clark County, do not appear to be under any significant influence due to subsidence.


General Notes:


- 1.) The 2003 Benchmark networks were adjusted to elevations published by the National Geodetic Survey, NGS, for official United States Benchmarks. In several cases, however, certain federal Benchmark elevations could not be held fixed owing to conflicting data between (NGS) published values and observed values during this project.

Therefore, although this 2003 Benchmark Book incorporates official United States Benchmarks, the values published herein may, or may not agree with the elevations originally established by the NGS and other federal agencies.

- 2.) In order to help identify subsidence in localized areas and to reduce, or eliminate human and computer error, the only effective use of this data for any project, **must include checking into multiple benchmarks in the network.** Any properly documented discrepancies between benchmark elevations as published herein, should be reported to the County Surveyor's office as soon as possible.
- 3.) Additions and periodic updates, utilizing the 2003 adjustment, will be published via the Internet.

SHEET INDEX v.2003			REVISED 09-01-2006		
LOCATION	REVISED		LOCATION	REVISED	
13-70 ¹ SE	01-03				
14-67 SW	01-03				
	NE 01-03				
15-67 NW	01-03				
	SE 01-03				
16-56 ² NW	01-03				
16-67 ³ NE	09-06				
16-68 ³ NW	01-03				
	NE 01-03				
18-59 NW	01-03				
	SE 01-03				
	SW 01-03				
	NE				
18-60 NW					
	SE				
	SW 01-03				
	NE				
19-57 NW					
	SE 08-03				
	SW 08-03				
	NE				
19-58 NW					
	SE 08-03				
	SW 08-03				
	NE 01-03				
19-59 NW					
	SE 01-03				
	SW				
	NE 01-03				
19-60 NW					
	SE 01-03				
	SW 09-06				
	NE 01-03				
20-60 NW					
	SE 01-03				
	SW				
¹ = BUNKERVILLE AREA			⁴ = SEARCHLIGHT AREA		
² = INDIAN SPRINGS AREA			⁵ = SANDY VALLEY AREA		
³ = OVERTON AREA					





NOTE:





ANY BENCHMARK FOUND TO BE DISTURBED OR PROPOSED TO BE DISTURBED, PLEASE CONTACT THE CLARK COUNTY SURVEYOR'S OFFICE.

**NORTH AMERICAN VERTICAL
DATUM OF 1988**

— ALL ELEVATIONS IN METERS —

**TYPICAL
BENCH MARK
PLATE**

FOR A CLARK COUNTY
BENCH RUN / MARK
COMPLETED IN 1986 (SQUARE)
OR 1996 (ROUND) AND LYING
WITHIN TOWNSHIP 19 S, RANGE
61 E, SECTION 10, AND
IN THE PROXIMITY OF
THE N 1/16, SEC. 10/11



NOTE

- 1) B.M. SHOULD BE LOCATED WITHIN THE SECTION DESIGNATED BY THE B.M. NUMBER.
- 2) ALL POINTS ARE LOCATED FROM THE CENTER QUARTER BY DIRECTION LOCATORS AND POSITION DESIGNATORS.
 - A. DIRECTION LOCATORS ARE USED AS APPROPRIATE TO THE POSITION DESIGNATORS (N—NORTH, E—EAST, S—SOUTH, W—WEST, C—CENTER) DIRECTIONS FIRST.
 - B. POSITION DESIGNATOR FOR PROXIMITY USE (S—SECTION, 4—QUARTER, 6—SIXTEENTH CORNERS).
 - C. A BENCH NUMBER FOLLOWED BY AN "A", "B", "C", ETC. INDICATES: A REPLACEMENT BENCHMARK FOR A DESTROYED BENCHMARK, OR A SUPPLEMENTAL BENCHMARK FOR AN EXISTING BENCHMARK.

EXAMPLES

- 1) 10NES = PROXIMITY OF THE NORTH—EAST SECTION CORNER OF SECTION 10.
- 2) 10N4 = PROXIMITY OF THE NORTH QUARTER CORNER OF SECTION 10.
- 3) 10NNE6 = PROXIMITY OF THE EAST 1/16, SECTION 3/10, TWO (2) ALIQUOT SIXTEENTHS NORTH AND ONE (1) ALIQUOT SIXTEENTH EAST OF THE CENTER QUARTER CORNER OF SECTION 10.

CLARK COUNTY VERTICAL CONTROL v.2003

CLARK COUNTY SURVEYOR'S OFFICE
5051 SOUTH PARADISE ROAD
LAS VEGAS, NEVADA 89119
(702) 455-0640

CONVERSION FACTOR:
METERS X $\left(\frac{3937}{1200}\right)$ = U.S. SURVEY FEET

REVISED
04/03/2003